

## Section 13 Clips & Clamps

in this section.....

### New Products in this section.....



1-Ear 'O' Clips - Pg. 408



2-Ear 'O' Clips - Pg. 408



W2 & W4 Clips - Pg. 409-410



Super W1 Clips - Pg. 411



Supra W2 Clips - Pg. 411

|  |     |
|--|-----|
| 1-Ear Mild Steel 'O' Clips                 | 408 |
| 1-Ear Stainless Steel 'O' Clips            | 408 |
| 2-Ear Mild Steel 'O' Clips                 | 408 |
| 2-Ear Stainless Steel 'O' Clips            | 408 |
| W2 Light Series Stainless Steel Hose Clips | 409 |
| W4 Light Series Stainless Steel Hose Clips | 409 |
| W1 Heavy Series Mild Steel Hose Clips      | 409 |
| W4 Heavy Series Stainless Steel Hose Clips | 410 |
| Mild Steel Hose Clamps                     | 410 |
| Super W1 Mild Steel Hose Clamps            | 411 |
| Supra W2 Mild Steel Hose Clamps            | 411 |
| Worm Drive Hose Clips                      | 412 |
| 1-Ear Clamps                               | 413 |
| 2-Ear Clamps                               | 413 |
| Band-It Bands, Buckles & Hand Tools        | 414 |
| Band-It Smooth ID Clamps & Scru-Band       | 415 |
| Unex Hose Clips                            | 416 |
| Cobra Hose Clips                           | 417 |
| Plastic Clips                              | 417 |
| Saddle & Air King Clamps                   | 418 |
| 'P' Clips                                  | 418 |



| 1 EAR CLIPS - ZINC-PLATED MILD STEEL |                |            |
|--------------------------------------|----------------|------------|
| PART NO                              | CLAMPING RANGE | PRICE EACH |
| M0301207-2                           | 8 - 10 mm      | £ 0.11     |
| M0301201-3                           | 9 - 11 mm      | £ 0.11     |
| M0301202-1                           | 10 - 12 mm     | £ 0.12     |
| M0301203-0                           | 11 - 13 mm     | £ 0.13     |
| M0301204-8                           | 12 - 14 mm     | £ 0.14     |
| M0301205-6                           | 14 - 16 mm     | £ 0.16     |
| M0301206-4                           | 16 - 18 mm     | £ 0.16     |



| 1 EAR CLIPS - STAINLESS STEEL |                |            |
|-------------------------------|----------------|------------|
| PART NO                       | CLAMPING RANGE | PRICE EACH |
| M2301244-0                    | 7 - 9 mm       | £ 0.22     |
| M2301208-7                    | 8 - 10 mm      | £ 0.25     |
| M2301201-0                    | 9 - 11 mm      | £ 0.26     |
| M2301203-6                    | 11 - 13 mm     | £ 0.30     |
| M2301207-9                    | 13 - 15 mm     | £ 0.35     |
| M2301245-8                    | 15 - 17 mm     | £ 0.36     |
| M2301242-3                    | 17 - 19 mm     | £ 0.38     |



| 2 EAR CLIPS - ZINC-PLATED MILD STEEL |                |            |
|--------------------------------------|----------------|------------|
| PART NO                              | CLAMPING RANGE | PRICE EACH |
| M0301210-1                           | 5 - 7 mm       | £ 0.12     |
| M0301211-0                           | 7 - 9 mm       | £ 0.12     |
| M0301212-8                           | 9 - 11 mm      | £ 0.12     |
| M0301213-6                           | 11 - 13 mm     | £ 0.12     |
| M0301214-4                           | 13 - 15 mm     | £ 0.13     |
| M0301216-0                           | 15 - 18 mm     | £ 0.16     |
| M0301217-9                           | 17 - 20 mm     | £ 0.16     |
| M0301219-5                           | 20 - 23 mm     | £ 0.21     |
| M0301220-8                           | 22 - 25 mm     | £ 0.24     |
| M0301221-6                           | 23 - 27 mm     | £ 0.26     |
| M0301222-4                           | 25 - 28 mm     | £ 0.26     |
| M0301223-2                           | 28 - 31 mm     | £ 0.30     |
| M0301224-0                           | 31 - 34 mm     | £ 0.33     |
| M0301225-9                           | 34 - 37 mm     | £ 0.40     |



| 2 EAR CLIPS - STAINLESS STEEL |                |            |
|-------------------------------|----------------|------------|
| PART NO                       | CLAMPING RANGE | PRICE EACH |
| M2301210-8                    | 5 - 7 mm       | £ 0.21     |
| M2301211-6                    | 7 - 9 mm       | £ 0.24     |
| M2301212-4                    | 9 - 11 mm      | £ 0.26     |
| M2301213-2                    | 11 - 13 mm     | £ 0.29     |
| M2301214-0                    | 13 - 15 mm     | £ 0.34     |
| M2301215-9                    | 14 - 17 mm     | £ 0.37     |
| M2301216-7                    | 15 - 18 mm     | £ 0.39     |
| M2301217-5                    | 17 - 20 mm     | £ 0.42     |
| M2301218-3                    | 18 - 21 mm     | £ 0.45     |
| M2301219-1                    | 20 - 23 mm     | £ 0.47     |
| M2301220-4                    | 22 - 25 mm     | £ 0.57     |



W2:  
Band & Support: Stainless Steel (AISI-430)  
Screw: Steel Zinc plate-chromate & passivated



| ASFA-L W2 HOSE CLIPS - LIGHT SERIES - STAINLESS STEEL BAND |                |            |            |
|--|----------------|------------|------------|
| PART NO  | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0301650-8   | 8 - 12 mm      | 7.5 mm     | £ 0.31     |
| M0301651-6   | 8 - 16 mm      | 9.0 mm     | £ 0.28     |
| M0301652-4   | 12 - 22 mm     | 9.0 mm     | £ 0.29     |
| M0301653-2   | 16 - 27 mm     | 9.0 mm     | £ 0.31     |
| M0301654-0   | 20 - 32 mm     | 9.0 mm     | £ 0.34     |
| M0301669-8   | 20 - 35 mm     | 9.0 mm     | £ 0.37     |
| M0301655-9   | 25 - 40 mm     | 9.0 mm     | £ 0.39     |
| M0301656-7   | 30 - 45 mm     | 9.0 mm     | £ 0.39     |
| M0301657-5   | 32 - 50 mm     | 9.0 mm     | £ 0.41     |
| M0301658-3   | 40 - 60 mm     | 9.0 mm     | £ 0.46     |
| M0301659-1   | 50 - 70 mm     | 9.0 mm     | £ 0.58     |
| COMPLETE WITH MILD STEEL ZINC-PLATED SCREW                 |                |            |            |

W4:  
Band & Support: Stainless Steel (AISI 304)  
Screw: Stainless Steel (AISI 302)



| ASFA-L W4 HOSE CLIPS - LIGHT SERIES - STAINLESS STEEL BAND |                |            |            |
|--|----------------|------------|------------|
| PART NO  | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0301401-9   | 8 - 16 mm      | 9.0 mm     | £ 0.63     |
| M0301402-7   | 12 - 22 mm     | 9.0 mm     | £ 0.64     |
| M0301403-5   | 16 - 27 mm     | 9.0 mm     | £ 0.69     |
| M0301404-3   | 20 - 32 mm     | 9.0 mm     | £ 0.72     |
| M0301413-1   | 20 - 35 mm     | 9.0 mm     | £ 0.80     |
| M0301405-1   | 25 - 40 mm     | 9.0 mm     | £ 0.80     |
| M0301406-0   | 30 - 45 mm     | 9.0 mm     | £ 0.80     |
| M0301407-8   | 32 - 50 mm     | 9.0 mm     | £ 0.86     |
| M0301408-6   | 40 - 60 mm     | 9.0 mm     | £ 1.09     |
| M0301409-4   | 50 - 70 mm     | 9.0 mm     | £ 1.12     |
| COMPLETE WITH 304 STAINLESS STEEL SCREW                    |                |            |            |

W1:  
Band: Mild Steel aluzinc coated  
Screw: Steel Zinc plate-chromate & passivated  
Nut: Steel Zinc plate-chromate & passivated



| ASFA-S W1 HOSE CLIPS - HEAVY SERIES - ZINC-PLATED MILD STEEL BAND |                |            |            |
|---|----------------|------------|------------|
| PART NO   | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0300900-1  | 16 - 27 mm     | 12.0 mm    | £ 0.41     |
| M0300900-2  | 20 - 32 mm     | 12.0 mm    | £ 0.41     |
| M0300900-3  | 25 - 40 mm     | 12.0 mm    | £ 0.44     |
| M0300900-4  | 30 - 45 mm     | 12.0 mm    | £ 0.47     |
| M0300900-5  | 32 - 50 mm     | 12.0 mm    | £ 0.47     |
| M0300900-6  | 40 - 60 mm     | 12.0 mm    | £ 0.51     |
| M0300900-7  | 50 - 70 mm     | 12.0 mm    | £ 0.56     |
| M0300900-8  | 60 - 80 mm     | 12.0 mm    | £ 0.69     |
| M0300900-9  | 70 - 90 mm     | 12.0 mm    | £ 0.72     |
| M0300901-0  | 80 - 100 mm    | 12.0 mm    | £ 0.79     |
| M0300901-1  | 90 - 110 mm    | 12.0 mm    | £ 0.82     |
| M0300901-2  | 100 - 120 mm   | 12.0 mm    | £ 0.90     |
| M0300901-3  | 110 - 130 mm   | 12.0 mm    | £ 0.89     |
| M0300901-4  | 120 - 140 mm   | 12.0 mm    | £ 0.93     |
| M0300901-5  | 130 - 150 mm   | 12.0 mm    | £ 0.96     |
| M0300901-6  | 140 - 160 mm   | 12.0 mm    | £ 0.99     |
| COMPLETE WITH MILD STEEL SCREW                                    |                |            |            |

W4:  
Band & Support: Stainless Steel (AISI 304)  
Screw: Stainless Steel (AISI 302)



| ASFA-S W4 HOSE CLIPS - HEAVY SERIES - STAINLESS STEEL BAND |                |            |            |
|--|----------------|------------|------------|
| PART NO  | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0301473-0   | 16 - 27 mm     | 12.0 mm    | £ 1.09     |
| M0301451-0   | 20 - 32 mm     | 12.0 mm    | £ 1.13     |
| M0301452-9   | 25 - 40 mm     | 12.0 mm    | £1.23      |
| M0301474-8   | 30 - 45 mm     | 12.0 mm    | £ 1.27     |
| M0301453-7   | 32 - 50 mm     | 12.0 mm    | £ 1.30     |
| M0301454-5   | 40 - 60 mm     | 12.0 mm    | £ 1.38     |
| M0301455-3   | 50 - 70 mm     | 12.0 mm    | £ 1.46     |
| M0301456-1   | 60 - 80 mm     | 12.0 mm    | £ 1.59     |
| M0301457-0   | 70 - 90 mm     | 12.0 mm    | £ 1.70     |
| M0301458-8   | 80 - 100 mm    | 12.0 mm    | £ 1.83     |
| M0301459-6   | 90 - 110 mm    | 12.0 mm    | £ 1.95     |
| M0301460-9   | 100 - 120 mm   | 12.0 mm    | £ 2.03     |
| M0301461-7   | 110 - 130 mm   | 12.0 mm    | £ 2.07     |
| M0301462-5   | 120 - 140 mm   | 12.0 mm    | £ 2.17     |
| M0301463-3   | 130 - 150 mm   | 12.0 mm    | £ 2.26     |
| M0301464-1   | 140 - 160 mm   | 12.0 mm    | £ 2.41     |
| COMPLETE WITH 304 STAINLESS STEEL SCREW                    |                |            |            |

W1:  
Band: Mild Steel aluzinc coated  
Screw: Steel Zinc plate-chromate & passivated  
Nut: Steel Zinc plate-chromate & passivated



| NORMAL HOSE CLAMPS - ZINC-PLATED MILD STEEL BAND |                |            |            |
|--|----------------|------------|------------|
| PART NO  | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0301051-0                                       | 6 mm           | 8.4 mm     | £ 0.19     |
| M0301052-8                                       | 8 mm           | 9.0 mm     | £ 0.19     |
| M0301053-6                                       | 9 mm           | 10.0 mm    | £ 0.22     |
| M0301054-4                                       | 9.5 - 10 mm    | 10.0 mm    | £ 0.22     |
| M0301055-2                                       | 10 - 11 mm     | 10.0 mm    | £ 0.22     |
| M0301056-0                                       | 12 - 13 mm     | 10.0 mm    | £ 0.22     |
| M0301057-9                                       | 13 - 14 mm     | 10.0 mm    | £ 0.22     |
| M0301058-7                                       | 14 - 15 mm     | 10.0 mm    | £ 0.23     |
| M0301059-5                                       | 15 - 17 mm     | 10.0 mm    | £ 0.23     |
| M0301060-8                                       | 16 - 18 mm     | 10.0 mm    | £ 0.24     |
| M0301061-6                                       | 18 - 20 mm     | 10.0 mm    | £ 0.24     |
| M0301062-4                                       | 19 - 21 mm     | 10.0 mm    | £ 0.24     |
| COMPLETE WITH MILD STEEL PLATED NUT & SCREW      |                |            |            |



W1:  
Band: Mild Steel aluzinc coated  
Bolt: Steel Zinc plate-chromate & passivated  
Nut: Steel Zinc plate-chromate & passivated



| SUPER W1 HOSE CLAMPS - HIGH PRESSURE SERIES - MILD STEEL BAND |                |            |            |
|---|----------------|------------|------------|
| PART NO   | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0301826-3  | 17 - 19 mm     | 18.0 mm    | £ 0.51     |
| M0301827-1  | 20 - 22 mm     | 18.0 mm    | £ 0.52     |
| M0301828-0  | 23 - 25 mm     | 18.0 mm    | £ 0.53     |
| M0301829-8  | 26 - 28 mm     | 18.0 mm    | £ 0.56     |
| M0301830-0  | 29 - 31 mm     | 20.0 mm    | £ 0.72     |
| M0301831-9  | 32 - 35 mm     | 20.0 mm    | £ 0.74     |
| M0301832-7  | 36 - 39 mm     | 20.0 mm    | £ 0.77     |
| M0301833-5  | 40 - 43 mm     | 20.0 mm    | £ 0.79     |
| M0301801-0  | 44 - 47 mm     | 22.0 mm    | £ 1.10     |
| M0301802-8  | 48 - 51 mm     | 22.0 mm    | £ 1.14     |
| M0301803-6  | 52 - 55 mm     | 22.0 mm    | £ 1.17     |
| M0301804-4  | 56 - 59 mm     | 22.0 mm    | £ 1.20     |
| M0301805-2  | 60 - 63 mm     | 22.0 mm    | £ 1.24     |
| M0301806-0  | 64 - 67 mm     | 22.0 mm    | £ 1.29     |
| M0301807-9  | 68 - 73 mm     | 24.0 mm    | £ 1.63     |
| M0301808-7  | 74 - 79 mm     | 24.0 mm    | £ 1.65     |
| M0301809-5  | 80 - 85 mm     | 24.0 mm    | £ 1.67     |
| M0301810-8  | 86 - 91 mm     | 24.0 mm    | £ 1.70     |
| M0301811-6  | 92 - 97 mm     | 24.0 mm    | £ 1.78     |
| M0301812-4  | 98 - 103 mm    | 24.0 mm    | £ 1.80     |
| M0301813-2  | 104 - 112 mm   | 24.0 mm    | £ 1.96     |
| M0301814-0  | 113 - 121 mm   | 24.0 mm    | £ 2.09     |
| M0301815-9  | 122 - 130 mm   | 24.0 mm    | £ 2.24     |
| M0301816-7  | 131 - 139 mm   | 26.0 mm    | £ 2.80     |
| M0301817-5  | 140 - 148 mm   | 26.0 mm    | £ 2.88     |
| M0301818-3  | 149 - 161 mm   | 26.0 mm    | £ 3.04     |
| COMPLETE WITH YELLOW ZINC-PLATED BOLT                         |                |            |            |

W2:  
Band & Support: Stainless Steel (AISI-430)  
Screw: Steel Zinc plate-chromate & passivated



| SUPRA W2 HOSE CLAMPS - HIGH PRESSURE SERIES - STAINLESS STEEL BAND |                |            |            |
|--|----------------|------------|------------|
| PART NO  | CLAMPING RANGE | BAND WIDTH | PRICE EACH |
| M0301905-5   | 25 - 27 mm     | 18.0 mm    | £ 0.87     |
| M0301906-3   | 27 - 29 mm     | 18.0 mm    | £ 0.98     |
| M0301907-1   | 29 - 31 mm     | 20.0 mm    | £ 1.12     |
| M0301908-0   | 31 - 34 mm     | 20.0 mm    | £ 1.14     |
| M0301909-8   | 34 - 37 mm     | 20.0 mm    | £ 1.18     |
| M0301910-0   | 37 - 40 mm     | 20.0 mm    | £ 1.21     |
| M0301911-9   | 40 - 43 mm     | 20.0 mm    | £ 1.22     |
| M0301912-7   | 43 - 47 mm     | 20.0 mm    | £ 1.72     |
| M0301913-5   | 47 - 51 mm     | 20.0 mm    | £ 1.79     |
| M0301914-3   | 51 - 55 mm     | 20.0 mm    | £ 1.84     |
| M0301915-1   | 55 - 59 mm     | 20.0 mm    | £ 1.86     |
| M0301916-0   | 59 - 63 mm     | 20.0 mm    | £ 1.95     |
| M0301917-8   | 63 - 68 mm     | 20.0 mm    | £ 2.01     |
| M0301918-6   | 68 - 73 mm     | 25.0 mm    | £ 2.54     |
| M0301919-4   | 73 - 79 mm     | 25.0 mm    | £ 2.58     |
| M0301920-7   | 79 - 85 mm     | 25.0 mm    | £ 2.59     |
| M0301921-5   | 85 - 91 mm     | 25.0 mm    | £ 2.65     |
| M0301922-3   | 91 - 97 mm     | 25.0 mm    | £ 2.78     |
| M0301923-1   | 97 - 104 mm    | 25.0 mm    | £ 2.80     |
| M0301924-0   | 104 - 112 mm   | 25.0 mm    | £ 3.04     |
| M0301925-8   | 112 - 121 mm   | 25.0 mm    | £ 3.27     |
| M0301926-6   | 121 - 130 mm   | 25.0 mm    | £ 3.50     |
| M0301927-4   | 130 - 140 mm   | 25.0 mm    | £ 4.36     |
| M0301928-2   | 140 - 150 mm   | 25.0 mm    | £ 4.48     |
| M0301929-0   | 150 - 162 mm   | 25.0 mm    | £ 4.75     |
| M0301930-1   | 162 - 174 mm   | 25.0 mm    | £ 4.93     |
| COMPLETE WITH ZINC-PLATED STEEL SCREW                              |                |            |            |

**SUPRA W4 HOSE CLAMPS**  
HIGH PRESSURE SERIES  
STAINLESS STEEL  
AVAILABLE ON REQUEST



JUBILEE WORM DRIVE HOSE CLIPS



| ZINC PLATED MILD STEEL WORM DRIVE HOSE CLIPS |            |                |           |            |
|--|------------|----------------|-----------|------------|
| PART NO.                                     | BAND WIDTH | CLAMPING RANGE | PACK QTY. | PRICE EACH |
| J 000  | 9 mm       | 9.5-12 mm      | 10        | £ 0.41     |
| J MOO  | 9 mm       | 11-16 mm       | 10        | £ 0.41     |
| J OO   | 9 mm       | 13-20 mm       | 10        | £ 0.41     |
| J O  | 13 mm      | 16-22 mm       | 10        | £ 0.45     |
| J OX   | 13 mm      | 18-25 mm       | 10        | £ 0.45     |
| J 1A   | 13 mm      | 22-30 mm       | 10        | £ 0.48     |
| J 1  | 13 mm      | 25-35 mm       | 10        | £ 0.50     |
| J 1X   | 13 mm      | 30-40 mm       | 10        | £ 0.52     |
| J 2A   | 13 mm      | 35-50 mm       | 10        | £ 0.54     |
| J 2  | 13 mm      | 40-55 mm       | 10        | £ 0.54     |
| J 2X   | 13 mm      | 45-60 mm       | 10        | £ 0.59     |
| J 3  | 13 mm      | 55-70 mm       | 10        | £ 0.65     |
| J 3X   | 13 mm      | 60-80 mm       | 10        | £ 0.68     |
| J 4  | 13 mm      | 70-90 mm       | 10        | £ 0.71     |
| J 4X   | 13 mm      | 85-100 mm      | 10        | £ 0.80     |
| J 5  | 13 mm      | 90-120 mm      | 10        | £ 1.00     |
| J 6  | 13 mm      | 110-140 mm     | 10        | £ 1.01     |
| J 6X   | 13 mm      | 120-150 mm     | 10        | £ 1.04     |
| J 7  | 13 mm      | 135-165 mm     | 10        | £ 1.10     |

ALL CLIPS ARE PACKED IN 10'S - PRICES SHOWN ARE PER CLIP NOT PER PACK

Clips & Clamps



| STAINLESS STEEL WORM DRIVE HOSE CLIPS |            |                |           |            |
|---------------------------------------|------------|----------------|-----------|------------|
| PART NO.                              | BAND WIDTH | CLAMPING RANGE | PACK QTY. | PRICE EACH |
| J OOOSS                               | 9 mm       | 9.5-12 mm      | 10        | £ 1.05     |
| J MOOSS                               | 9 mm       | 11-16 mm       | 10        | £ 1.05     |
| J OOSS                                | 9 mm       | 13-20 mm       | 10        | £ 1.05     |
| J OSS                                 | 13 mm      | 16-22 mm       | 10        | £ 1.14     |
| J OXSS                                | 13 mm      | 18-25 mm       | 10        | £ 1.16     |
| J 1ASS                                | 13 mm      | 22-30 mm       | 10        | £ 1.21     |
| J 1SS                                 | 13 mm      | 25-35 mm       | 10        | £ 1.24     |
| J 1XSS                                | 13 mm      | 30-40 mm       | 10        | £ 1.28     |
| J 2ASS                                | 13 mm      | 35-50 mm       | 10        | £ 1.42     |
| J 2SS                                 | 13 mm      | 40-55 mm       | 10        | £ 1.49     |
| J 2XSS                                | 13 mm      | 45-60 mm       | 10        | £ 1.57     |
| J 3SS                                 | 13 mm      | 55-70 mm       | 10        | £ 1.68     |
| J 3XSS                                | 13 mm      | 60-80 mm       | 10        | £ 1.80     |
| J 4SS                                 | 13 mm      | 70-90 mm       | 10        | £ 1.86     |
| J 4XSS                                | 13 mm      | 85-100 mm      | 10        | £ 1.94     |
| J 5SS                                 | 13 mm      | 90-120 mm      | 10        | £ 2.16     |
| J 6SS                                 | 13 mm      | 110-140 mm     | 10        | £ 2.37     |
| J 6XSS                                | 13 mm      | 120-150 mm     | 10        | £ 2.54     |
| J 7SS                                 | 13 mm      | 135-165 mm     | 10        | £ 2.74     |



| CLIPDRIVER |                             |        |
|------------|-----------------------------|--------|
| PART NO.   | DESCRIPTION                 | PRICE  |
| J CD95     | 95 mm Hexagonal Clipdriver  | £ 5.87 |
| J CD160    | 160 mm Hexagonal Clipdriver | £ 5.87 |

For Flexible Driver See Page 321



| WORKSHOP PACK |                                       |         |
|---------------|---------------------------------------|---------|
| PART NO.      | DESCRIPTION                           | PRICE   |
| J HCP143      | 143 Assorted Jubilee mild steel clips | £ 62.17 |

### 1-EAR-CLAMP

The stainless steel 1-EAR-CLAMP is fitted with a stainless steel insert ring. This clamp can solve difficult problems and seal hoses simply and economically. It can be used for sealing smooth and soft hoses, also extremely hard hose material. The insert ring completely protects the hose from damage.

- COMES COMPLETE WITH INSERT RING · PREVENTS HOSE FROM PINCHING



| 1 EAR CLAMPS |                                 |                            |           |            |
|--------------|---------------------------------|----------------------------|-----------|------------|
| PART NO      | BAND WIDTH                      | THEORETICAL CLAMPING RANGE | PACK QTY. | PRICE EACH |
| OET09.0RER   | 7.4 mm                          | 7.0-8.5 mm                 | 10        | £ 0.31     |
| OET10.0RER   | 7.4 mm                          | 8.0-9.5 mm                 | 10        | £ 0.31     |
| OET11.0RER   | 7.4 mm                          | 8.8-10.5 mm                | 10        | £ 0.31     |
| OET12.0RER   | 7.4 mm                          | 9.5-11.5 mm                | 10        | £ 0.32     |
| OET12.3RER   | 7.4 mm                          | 9.8-11.8 mm                | 10        | £ 0.32     |
| OET12.8RER   | 7.4 mm                          | 10.3-12.3 mm               | 10        | £ 0.32     |
| OET13.3RER   | 8.2 mm                          | 10.6-12.6 mm               | 10        | £ 0.32     |
| OET13.8RER   | 8.2 mm                          | 11.1-13.1 mm               | 10        | £ 0.34     |
| OET14.0RER   | 8.2 mm                          | 11.3-13.3 mm               | 10        | £ 0.34     |
| OET15.0RER   | 8.2 mm                          | 12.3-14.3 mm               | 10        | £ 0.35     |
| OET15.5RER   | 8.2 mm                          | 12.8-14.8 mm               | 10        | £ 0.35     |
| OET16.5RER   | 8.2 mm                          | 13.2-15.8 mm               | 10        | £ 0.36     |
| OET17.5RER   | 8.2 mm                          | 14.6-16.8 mm               | 10        | £ 0.44     |
| OET18.5RER   | 8.2 mm                          | 15.6-17.8 mm               | 10        | £ 0.44     |
| OET19.5RER   | 8.2 mm                          | 16.5-18.8 mm               | 10        | £ 0.45     |
| OET20.7RER   | 9.2 mm                          | 17.1-20.0 mm               | 10        | £ 0.46     |
| OET21.8RER   | 9.2 mm                          | 18.8-21.1 mm               | 10        | £ 0.48     |
| OET23.5RER   | 9.2 mm                          | 20.2-22.8 mm               | 10        | £ 0.50     |
| OET24.5RER   | 9.2 mm                          | 21.0-23.8 mm               | 10        | £ 0.53     |
| 1098         | 'O' CLIP PINCERS Normal Closing |                            |           | £15.40     |
| 1099         | 'O' CLIP PINCERS Side Closing   |                            |           | £20.20     |

### 2-EAR-CLAMPS

The 2-EAR-CLAMP is made from steel zinc plated and is suitable for fastening of low to medium pressure hoses and also metal to metal connections.

- LOW COST · SIMPLE CONNECTION · METAL TO METAL CONNECTION



| 2 EAR CLAMPS |                                 |                            |           |            |
|--------------|---------------------------------|----------------------------|-----------|------------|
| PART NO      | BAND WIDTH                      | THEORETICAL CLAMPING RANGE | PACK QTY. | PRICE EACH |
| OET-0305     | 5.0 mm                          | 3.0-5.0 mm                 | 10        | £ 0.20     |
| OET-0507     | 6.0 mm                          | 5.0-7.0 mm                 | 10        | £ 0.20     |
| OET-0709     | 7.0 mm                          | 7.0-9.0 mm                 | 10        | £ 0.20     |
| OET-0811     | 7.0 mm                          | 8.0-11.0 mm                | 10        | £ 0.22     |
| OET-0911     | 7.0 mm                          | 9.0-11.0 mm                | 10        | £ 0.22     |
| OET-1113     | 7.0 mm                          | 11.0-13.0 mm               | 10        | £ 0.24     |
| OET-1315     | 7.5 mm                          | 13.0-15.0 mm               | 10        | £ 0.24     |
| OET-1517     | 8.0 mm                          | 15.0-17.0 mm               | 10        | £ 0.25     |
| OET-1518     | 8.0 mm                          | 15.0-18.0 mm               | 10        | £ 0.25     |
| OET-1720     | 8.5 mm                          | 17.0-20.0 mm               | 10        | £ 0.28     |
| OET-1922     | 9.0 mm                          | 19.0-22.0 mm               | 10        | £ 0.38     |
| OET-2023     | 9.0 mm                          | 20.0-23.0 mm               | 10        | £ 0.38     |
| OET-2225     | 10.0 mm                         | 22.0-25.0 mm               | 10        | £ 0.40     |
| OET-2327     | 10.0 mm                         | 23.0-27.0 mm               | 10        | £ 0.44     |
| OET-2528     | 10.0 mm                         | 25.0-28.0 mm               | 10        | £ 0.44     |
| OET-2831     | 10.0 mm                         | 28.0-31.0 mm               | 10        | £ 0.48     |
| OET-3134     | 10.0 mm                         | 31.0-34.0 mm               | 10        | £ 0.48     |
| OET-3437     | 10.0 mm                         | 34.0-37.0 mm               | 10        | £ 0.50     |
| OET-3740     | 10.0 mm                         | 37.0-40.0 mm               | 10        | £ 0.50     |
| 1098         | 'O' CLIP PINCERS Normal Closing |                            |           | £15.40     |
| 1099         | 'O' CLIP PINCERS Side Closing   |                            |           | £20.20     |

**BAND-IT BAND**

BAND-IT Band in Type 201 stainless steel has been the industry standard for over 60 years with its superior yield and tensile strength properties for maximum clamping strength. All BAND-IT sizes feature fully rounded smooth edges for safety and easy installation. For clamps of even greater strength, use a double wrap, threading the Ear-Lokt Buckle each time round. Easy Scale - a patented imprint right on the band - eliminates costly waste and complicated measuring by allowing users to quickly and precisely roll out the exact length of band needed for any clamp.



| BAND-IT TOTES            |                 |             |                |
|--------------------------|-----------------|-------------|----------------|
| PART NO.                 | BAND WIDTH      | TOTE COLOUR | PRICE PER ROLL |
| BA-C204B                 | 1/2" / 12.70 mm | Blue        | £38.93         |
| BA-C206R                 | 3/4" / 19.05 mm | Red         | £54.12         |
| 100 Ft. Per Roll (30.5M) |                 |             |                |

**BAND-IT EAR-LOKT BUCKLES**

Ear-Lokt Buckles in Type 201 stainless steels are designed to accommodate both single and double wrap clamps. The unique teeth and ears provide for maximum clamping strength.




| BAND-IT EAR-LOKT BUCKLES |                 |            |
|--------------------------|-----------------|------------|
| PART NO.                 | WIDTH           | PRICE EACH |
| BA-C254                  | 1/2" / 12.70 mm | £ 0.21     |
| BA-C256                  | 3/4" / 19.05 mm | £ 0.34     |

**HAND TOOLS FOR BAND-IT CLAMPS**

A drop forged tool with tensioning capability of over 2,400 lbs and a built-in cutter. New improved features include:

- A spring loaded gripper lever for improved band tensioning
- A friction held cutoff lever with plastic grip for easier operation
- A blue, epoxy powder coated finish virtually impervious to impact, chemicals and corrosive elements
- A spin handle retaining ring to keep parts intact. The BAND-IT Tool is used to apply BAND-IT Bands and Buckles, strapping and Free-End clamps



| HAND TOOLS FOR BAND-IT CLAMPS   |   |            |
|---|---|------------|
| PART NO.  | DESCRIPTION                                 | PRICE EACH |
| BA-C001   | BAND-IT Tool                                | £116.00    |
| BA-J001   | BAND-IT Jr. Adaptor (Use with C001 Tool)    | £120.60    |
| BA-J050   | Heavy Duty Jr. Adaptor (Use with C001 Tool) | £158.80    |
| Both adaptors are for use with the BAND-IT Tool to apply BAND-IT Jr. Preformed clamps |   |            |





**BAND-IT JR. SMOOTH ID CLAMPS**

As industrial hose made of stiffer, thinner, thermoplastics replace soft, spongy, thick-walled rubber, a new generation of hose clamps has been developed to prevent leak problems. The BAND-IT Jr. Smooth ID Clamp is manufactured in a wide variety of widths, sizes and materials that provide a uniform, gap-free, inside diameter with strong holding power.



| BAND-IT JR. SMOOTH ID CLAMPS |                |                   |            |
|------------------------------|----------------|-------------------|------------|
| PART NO.                     | BAND WIDTH     | CLAMP ID          | PRICE EACH |
| BA-JS201                     | 3/8" / 9.5 mm  | 13/16" / 20.6 mm  | £ 0.51     |
| BA-JS202                     | 3/8" / 9.5 mm  | 1.3/8" / 34.9 mm  | £ 0.54     |
| BA-JS203                     | 1/2" / 12.7 mm | 1" / 25.4 mm      | £ 0.73     |
| BA-JS204                     | 1/2" / 12.7 mm | 1.1/4" / 31.8 mm  | £ 0.82     |
| BA-JS205                     | 5/8" / 15.9 mm | 1.1/2" / 38.1 mm  | £ 0.96     |
| BA-JS206                     | 5/8" / 15.9 mm | 1.3/4" / 44.5 mm  | £ 1.06     |
| BA-JS207                     | 5/8" / 15.9 mm | 2" / 50.8 mm      | £ 1.17     |
| BA-JS208                     | 5/8" / 15.9 mm | 2.1/4" / 57.2 mm  | £ 1.23     |
| BA-JS209                     | 5/8" / 15.9 mm | 2.1/2" / 63.5 mm  | £ 1.24     |
| BA-JS210                     | 3/4" / 19.1 mm | 2.3/4" / 69.9 mm  | £ 1.63     |
| BA-JS211                     | 3/4" / 19.1 mm | 3" / 76.2 mm      | £ 1.74     |
| BA-JS212                     | 3/4" / 19.1 mm | 3.1/2" / 88.9 mm  | £ 1.81     |
| BA-JS213                     | 3/4" / 19.1 mm | 4" / 101.6 mm     | £ 2.10     |
| BA-JS214                     | 3/4" / 19.1 mm | 4.1/2" / 114.3 mm | £ 2.20     |
| BA-JS215                     | 3/4" / 19.1 mm | 5" / 127.0 mm     | £ 2.42     |

Clips & Clamps

**SCRU-BAND**

A reusable band clamp with continuous roll-formed teeth and a patented side load housing for fast, easy, no-slip clamps of any diameter - from 1" to 30 feet and more - from one kit. Work right out of box without critical measuring waste using only a screwdriver for tensioning. Fast take-up, fewer components and simple 1-2-3 installation procedure for faster clamping. Smooth ID band prevents material from squeezing through. 100% stainless steel construction for strong, corrosion free durability.



| SCRUBAND |   |            |
|----------|---|------------|
| PART NO. | CONTENTS  | PRICE EACH |
| BA-M156  | 100ft / 30.5M Scru-Band<br>25 Housings, 25 Screws | £127.73    |
| BA-M157  | 50ft / 15.25M Scru-Band<br>10 Housings, 10 Screws | £72.86     |
| BA-M158  | 10ft / 3.5M Scru-Band<br>5 Housings, 5 Screws     | £32.42     |

**UNEX CLIPS**

The superior design of the UNEX hose clip gives it advantages over other hose clips in the market. The UNEX will seal high pressures. The standard material specification includes a stainless steel 304 band with a brass screw and bush. The standard H type has a stainless steel 304 hexagonal cap in addition. This material combination is durable and rust proof. Hose life is often improved due to low friction inner band. Ideal for use with soft tubing eg. silicone, PVC, polypropylene.

- SEALS HIGH PRESSURE
- IMPROVED HOSE LIFE
- LOW FRICTION



| UNEX CLIPS - 'D' TYPE |  |        |
|-----------------------|--|--------|
| PART NO.              | CLAMPING RANGE   | PRICE  |
| UNI-10-D              | 7.4-10.0 mm  | £ 0.75 |
| UNI-12-D              | 9.0-12.0 mm  | £ 0.75 |
| UNI-14-D              | 9.6-14.0 mm  | £ 0.75 |
| UNI-17-D              | 12.2-17.0 mm   | £ 0.75 |
| UNI-19-D              | 14.0-19.0 mm   | £ 0.75 |
| UNI-21-D              | 15.5-21.0 mm   | £ 0.75 |
| UNI-22-D              | 17.3-22.0 mm   | £ 0.75 |
| UNI-25-D              | 19.8-25.0 mm   | £ 0.75 |
| UNI-27-D              | 21.8-27.0 mm   | £ 0.83 |
| UNI-30-D              | 25.0-30.0 mm   | £ 0.83 |
| UNEX/D                | SCREWDRIVER DESIGNED FOR UNEX CLIPS<br>TYPE 'D' WITH SCREW SLOT HEAD | £19.04 |



| UNEX CLIPS - 'H' TYPE |                |        |
|-----------------------|----------------|--------|
| PART NO.              | CLAMPING RANGE | PRICE  |
| UNI-10-H              | 7.4-10.0 mm    | £ 0.92 |
| UNI-12-H              | 9.0-12.0 mm    | £ 0.92 |
| UNI-14-H              | 9.6-14.0 mm    | £ 0.92 |
| UNI-17-H              | 12.2-17.0 mm   | £ 0.92 |
| UNI-19-H              | 14.0-19.0 mm   | £ 0.92 |
| UNI-21-H              | 15.5-21.0 mm   | £ 0.92 |
| UNI-22-H              | 17.3-22.0 mm   | £ 0.92 |
| UNI-25-H              | 19.8-22.0 mm   | £ 1.01 |
| UNI-27-H              | 21.8-27.0 mm   | £ 1.01 |

TYPE 'H' WITH STAINLESS STEEL CAP

**COBRA EASY-FIT STAINLESS STEEL HOSE CLIPS**

The COBRA one-piece hose clip is a reliable connector for hose/pipe systems in automotive and industrial applications. Because of its low profile, the COBRA hose clip is suitable, for example, for attaching bellows on gaiters and has many uses in the food and drink processing industries.

- FAST ASSEMBLY · REUSABLE · LOW PROFILE DESIGN



| COBRA EASY-FIT STAINLESS STEEL HOSE CLIPS |                 |              |           |            |
|---|-----------------|--------------|-----------|------------|
| PART NO.                                  | BAND WIDTH      | HOSE OD      | PACK QTY. | PRICE EACH |
| N-COB7.5                                  | 7 mm            | 8.0-9.0 mm   | 10        | £ 0.34     |
| N-COB8.0                                  | 7 mm            | 8.5-9.5 mm   | 10        | £ 0.34     |
| N-COB8.5                                  | 7 mm            | 9.0-10.0 mm  | 10        | £ 0.34     |
| N-COB9.0                                  | 7 mm            | 9.5-10.5 mm  | 10        | £ 0.34     |
| N-COB9.5                                  | 7 mm            | 10.0-11.0 mm | 10        | £ 0.34     |
| N-COB10.0                                 | 7 mm            | 10.5-11.5 mm | 10        | £ 0.35     |
| N-COB10.5                                 | 7 mm            | 11.0-12.0 mm | 10        | £ 0.35     |
| N-COB11.0                                 | 7 mm            | 11.5-12.5 mm | 10        | £ 0.35     |
| N-COB11.5                                 | 7 mm            | 12.0-13.0 mm | 10        | £ 0.35     |
| N-COB12                                   | 8 mm            | 12.5-14.0 mm | 10        | £ 0.36     |
| N-COB13                                   | 8 mm            | 13.5-15.0 mm | 10        | £ 0.36     |
| N-COB14                                   | 8 mm            | 14.5-16.0 mm | 10        | £ 0.36     |
| N-COB15                                   | 8 mm            | 15.5-17.0 mm | 10        | £ 0.37     |
| N-COB16                                   | 8 mm            | 16.5-18.0 mm | 10        | £ 0.38     |
| N-COB17                                   | 8 mm            | 17.5-19.0 mm | 10        | £ 0.38     |
| N-COB18                                   | 8 mm            | 18.5-20.0 mm | 10        | £ 0.39     |
| N-COB19                                   | 8 mm            | 19.5-21.0 mm | 10        | £ 0.39     |
| COBRA-HT                                  | TIGHTENING TOOL |              |           | £28.14     |

ALL CLIPS ARE PACKED IN 10'S - PRICES SHOWN ARE PER CLIP NOT PER PACK

**SNP PLASTIC CLIPS**

The SNP range is made from an black acetal material and is resistant to most chemicals, particularly oils, petrol and strong alkalis. The clips have a high degree of strength and offer excellent electrical insulation properties.

- REUSEABLE · EASY TO FIT AND REMOVE · LOW COST



| PLASTIC CLIPS |                |          |            |
|---------------|----------------|----------|------------|
| PART NO.      | CLAMPING RANGE | PACK QTY | PRICE EACH |
| N-SNP1B       | 5.80-6.50 mm   | 10       | £ 0.30     |
| N-SNP1.5B     | 7.80-8.70 mm   | 10       | £ 0.30     |
| N-SNP2B       | 8.70-10.00 mm  | 10       | £ 0.31     |
| N-SNP3B       | 10.00-11.40 mm | 10       | £ 0.31     |
| N-SNP4B       | 10.80-12.30 mm | 10       | £ 0.32     |
| N-SNP6B       | 12.00-13.70 mm | 10       | £ 0.32     |
| N-SNP8B       | 13.70-15.30 mm | 10       | £ 0.34     |
| N-SNP10B      | 15.00-16.80 mm | 10       | £ 0.42     |
| N-SNP12B      | 16.80-18.40 mm | 10       | £ 0.42     |
| N-SNP14B      | 18.10-19.90 mm | 10       | £ 0.42     |
| N-SNP16B      | 19.90-21.70 mm | 10       | £ 0.42     |
| N-SNP20B      | 22.70-24.70 mm | 10       | £ 0.43     |
| N-SNP22B      | 25.30-27.30 mm | 10       | £ 0.47     |
| N-SNP24B      | 26.50-28.60 mm | 10       | £ 0.47     |
| N-SNP32B      | 30.30-33.10 mm | 10       | £ 0.47     |

Tooling available

ALL CLIPS ARE PACKED IN 10'S - PRICES SHOWN ARE PER CLIP NOT PER PACK

**TWO-BOLT SADDLE CLAMPS - MALLEABLE IRON**



| TWO-BOLT SADDLE CLAMPS |                     |           |            |
|------------------------|---------------------|-----------|------------|
| PART NO.               | HOSE OD RANGE<br>mm | PACK QTY. | PRICE EACH |
| AI-TSC25               | 17 - 22             | 1         | £ 2.71     |
| AI-TSC31               | 22 - 29             | 1         | £ 2.71     |
| AI-TSC34               | 27 - 32             | 1         | £ 1.96     |
| AI-TSC37               | 32 - 37             | 1         | £ 4.87     |
| AI-TSC1305             | 39 - 49             | 1         | £ 3.29     |
| AI-TSC1306             | 48 - 60             | 1         | £ 3.47     |
| AI-TSC1307             | 60 - 76             | 1         | £ 3.98     |
| AI-TSC1308             | 77 - 94             | 1         | £ 6.96     |
| AI-TSC1309             | 94 - 115            | 1         | £ 8.87     |

**AIR KING CLAMPS - PLATED MALLEABLE IRON**



| AIR KING CLAMPS |                |                     |           |            |
|-----------------|----------------|---------------------|-----------|------------|
| PART NO.        | SIZE<br>Inches | HOSE OD RANGE<br>mm | PACK QTY. | PRICE EACH |
| AI-AKCD         | 3/8            | 17.9 - 22.2         | 1         | £ 5.05     |
| AI-AKA4         | 1/2            | 12.7 - 25.7         | 1         | £ 4.32     |
| AI-AKA9         | 3/4            | 28.2 - 32.9         | 1         | £ 5.14     |
| AI-AKA10        | 7/8            | 32.9 - 37.7         | 1         | £ 8.63     |
| AI-AKA14        | 1              | 37.7 - 45.6         | 1         | £10.90     |

**'P' CLIPS**

The PIPE RETAINING CLIP in accordance with DIN3016 is a versatile fastening system for securing pipes, cables and cable harnesses, cable ducts, hoses and other flowlines. Made from mild steel zinc plated with polychloroprene sleeve, they are used in almost all sectors of industry. In the automotive industry, mechanical engineering, hydraulics and pneumatics.

·MEETS HIGH REQUIREMENTS OF AUTOMOTIVE INDUSTRY



| 'P' CLIPS   |            |         |           |            |
|-------------|------------|---------|-----------|------------|
| PART NO.    | BAND WIDTH | PIPE OD | PACK QTY. | PRICE EACH |
| N-RSGU-1/06 | 15 mm      | 6 mm    | 10        | £ 0.48     |
| N-RSGU-1/08 | 15 mm      | 8 mm    | 10        | £ 0.48     |
| N-RSGU-1/10 | 15 mm      | 10 mm   | 10        | £ 0.48     |
| N-RSGU-1/12 | 15 mm      | 12 mm   | 10        | £ 0.48     |
| N-RSGU-1/14 | 15 mm      | 14 mm   | 10        | £ 0.48     |
| N-RSGU-1/16 | 15 mm      | 16 mm   | 10        | £ 0.48     |
| N-RSGU-1/18 | 15 mm      | 18 mm   | 10        | £ 0.48     |
| N-RSGU-1/20 | 15 mm      | 20 mm   | 10        | £ 0.48     |
| N-RSGU-1/22 | 15 mm      | 22 mm   | 10        | £ 0.56     |
| N-RSGU-1/25 | 15 mm      | 25 mm   | 10        | £ 0.56     |
| N-RSGU-1/28 | 15 mm      | 28 mm   | 10        | £ 0.56     |
| N-RSGU-1/30 | 15 mm      | 30 mm   | 10        | £ 0.56     |
| N-RSGU-1/32 | 15 mm      | 32 mm   | 10        | £ 0.68     |
| N-RSGU-1/35 | 15 mm      | 35 mm   | 10        | £ 0.68     |

ALL CLIPS ARE PACKED IN 10'S - PRICES SHOWN ARE PER CLIP NOT PER PACK